

Express Mail Label No.: EV 392155145 US
Date of Deposit: May 7, 2004

Attorney Docket No.: 22058-513 CON2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS: Keith, *et al.*
SERIAL NUMBER: 10/776,703 EXAMINER: Not yet assigned
FILING DATE: February 10, 2004 ART UNIT: Not yet assigned
FOR: USE OF INTERLEUKIN-11 TO TREAT GASTROINTESTINAL
DISORDERS

Mail Stop IDS

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL LETTER


Transmitted herewith for filing in the present application are the following documents:

1. Information Disclosure Statement (1 page), in duplicate;
2. Modified Form 1449/PTO (5 pages), in duplicate;
3. Copies of Cited References: A4, C22-24, 62 & 71; and
4. Return Postcard.

If the enclosed papers are considered incomplete, the Mail Room and/or the Application Branch is respectfully requested to contact the undersigned at (617) 542-6000, Boston, Massachusetts.

The Commissioner is authorized to charge any fees that may be due, or to credit any overpayment, to the undersigned's account, Deposit Account No. 50-0311/Ref. No. 22058-513 CON2. A duplicate copy of this transmittal letter is enclosed herewith.

Respectfully submitted,


Ivor R. Elrifi, Reg. No. 39,529
David E. Johnson, Reg. No. 41,874
Attorneys for Applicants
MINTZ, LEVIN, COHN, FERRIS,
GLOVSKY and POPEO, P.C.
One Financial Center
Boston, Massachusetts 02111
Tel: (617) 542-6000
Fax: (617) 542-2241

Dated: May 7, 2004



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE


APPLICANTS: Keith, *et al.*
SERIAL NUMBER: 10/776,703 EXAMINER: Not yet assigned
FILING DATE: February 10, 2004 ART UNIT: Not yet assigned
FOR: USE OF INTERLEUKIN-11 TO TREAT GASTROINTESTINAL
DISORDERS

Mail Stop IDS
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Applicants hereby make of record the documents listed on the attached modified Form PTO-1449 (submitted in duplicate) in the above-identified application. This Information Disclosure Statement is being filed before the mailing date of a first Office Action on the merits in the above-identified case. Accordingly, no fee or certification is believed required. Copies of the references (*) are not provided as they were previously cited or submitted to the USPTO in a prior application, Serial No. 09/920,532, filed August 1, 2001, and relied upon for an earlier filing date under 35 U.S.C. §120 (continuation, continuation-in-part, and divisional applications). Please charge any fees that may be due, or credit any overpayment of same, to Deposit Account No. 50-0311 Reference No. 22058-513 CON2.

Respectfully submitted,


Ivor R. Elrifi, Reg. No. 39,529
David E. Johnson, Reg. No. 41,874
Attorneys for Applicants
MINTZ, LEVIN, COHN, FERRIS,
GLOVSKY and POPEO, P.C.
One Financial Center
Boston, Massachusetts 02111
Tel: (617) 542-6000
Fax: (617) 542-2241

Dated: May 7, 2004


Modified Form 1449/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)	Application Number	10/776,703
	Filing Date	February 10, 2004
	First Named Inventor	Keith
	Group Art Unit	Not Yet Assigned
	Examiner Name	Not Assigned Yet
	Attorney Docket Number	22058-513-CON2

U.S. PATENT DOCUMENTS							
Exam Initials	Cite No.	U.S. Patent Document No.	Issue Date	Name of Patentee(s) or Applicant(s)	Class	Sub Class	Filing Date If Appropriate
	A1*	5,215,895	06/01/93	Bennet, et al.			
	A2*	5,270,181	12/14/93	McCoy, et al.			
	A3*	5,292,646	03/08/94	McCoy, et al.			
	A4	5,460,810	10/24/95	Williams, et al.			
	A5*	5,679,339	10/21/97	Keith, et al.			
	A6*	5,700,664	12/23/97	Yang, et al.			
	A7*	5,958,401	09/28/99	Keith, et al.			
	A8*	6,126,933	10/03/00	Warne, et al.			

FOREIGN PATENT DOCUMENTS							
Exam Initials	Cite No.	Foreign Patent Document Office	Number	Name of Patentee(s) or Applicant(s)	Date of Publication	Translation Yes No	
	B1*	WO	92/04455	Genetics Institute, Inc.	03/19/1992		

OTHER NON PATENT LITERATURE DOCUMENTS							
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.					
	C1*	Adunyah, et al. (1995). Interleukin-11 induces tyrosine phosphorylation, and c-jun and c-fos mRNA expression in human K562 and U937 cells. <i>Ann. NY Acad. Sci.</i> 766: 296-9.					
	C2*	Akira (1997). IL-6-regulated transcription factors. <i>Int. J. Biochem. Cell Biol.</i> 29(12):1401-18.					
	C3*	Balkwill, et al. (1989). The cytokine network. <i>Immunol Today</i> 10(9): 299-304.					
	C4*	Barton, et al. (1996). Interleukins 6 and 11 protect mice from mortality in a staphylococcal enterotoxin-induced toxic shock model. <i>Infect. Immun.</i> 64(3):714-8.					
	C5*	Baumann, et al. (1991). Interleukin-11 regulates the hepatic expression of the same plasma protein genes as interleukin-6. <i>J. Biol. Chem.</i> 266(30): 20424-7.					
	C6*	Berseth, C.L. (1996). Gastrointestinal motility in the neonate. (1996). Gastrointestinal motility in the neonate. <i>Clin. Perinatol.</i> 23(2):179-190.					
	C7*	Besterman, et al. (1983). Gut hormones in inflammatory bowel disease. <i>Scand. J. Gastroenterol.</i> 18:845-852.					
	C8*	Boivin, et al. (1997). Neural mediation of the motilin motor effect on the human antrum. <i>Am. J. Physiol.</i> 272(1 Pt 1): G71-6.					
	C9*	Boulton, et al. (1995). STAT3 activation by cytokines utilizing gp130 and related transducers involves a secondary modification requiring an H7-sensitive kinase. <i>Proc. Natl. Acad. Sci. USA.</i> 92(15): 6915-9.					
	C10*	Bruno, et al. (1991). Effects of recombinant interleukin 11 on human megakaryocyte progenitor cells. <i>Exp. Hematol.</i> 19(5): 378-81.					
	C11*	Burststein, et al. (1992). Leukemia inhibitory factor and interleukin-11 promote maturation of murine and human megakaryocytes in vitro. <i>J. Cell. Physiol.</i> 153(2): 305-12.					

* Not in file



OTHER NON PATENT LITERATURE DOCUMENTS		
Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C12*	Castagliuolo, et al. (1997). IL-11 inhibits Clostridium difficile toxin A enterotoxicity in rat ileum. <i>Am. J. Physiol.</i> 273(2 Pt 1): G333-41.
	C13*	Clark and Kamen (1987). The human hematopoietic colony-stimulating factors. <i>Science</i> 236(4806): 1229-37.
	C14*	De Clercq, et al. (1998). Motilin in human milk: identification and stability during digestion. <i>Life Sci.</i> 63(22): 1993-2000.
	C15*	De Winter, et al. (1999). Effect of different prokinetic agents and a novel enterokinetic agent on postoperative ileus in rats. <i>Gut</i> 45(5):713-718.
	C16*	Depoortere, et al. (1997). Distribution and subcellular localization of motilin binding sites in the rabbit brain. <i>Brain Res.</i> 777(1-2):103-9.
	C17*	Depoortere, et al. (1998). <i>Am. Gastroenterology Soc.</i> (New Orleans, LA, May 16-22, 1998).
	C18*	Depoortere, et al. (1999). <i>Am. Gastroenterology Soc.</i> (Orlando, FL, May 15-20, 1999).
	C19*	Depoortere, et al. (2000). <i>J. Pharmacol. Exp. Ther.</i> 294(3): 983-90.
	C20*	Depoortere, et al. (2001). <i>Reg. Peptides</i> 97: 111-9.
	C21*	Depoortere, et al. (1999). Differential changes in Ach-, motilin-, substance P-, and K ⁺ -induced contractility in rabbit colitis. <i>Am. J. Physiol.</i> , 277(1 pt. 1):G61-G68.
	C22	Depoortere, et al. (1999). Treatment with IL-11 stimulates the release of motilin but not of substance P in a rabbit model of TNBS-colitis. (Abstract only). <i>Gastroenterology</i> . 116(4 part 2):A698.
	C23	Depoortere, et al. (1998). Dose-dependent effects of interleukin-11 on contractile parameters in rabbit TNBS-colitis. (Abstract only). <i>Gastroenterology</i> . 114(4 part 2):A742.
	C24	Dorner, et al. (1997). Interleukin-11. Biological activity and clinical studies. <i>Biodrug</i> . 8(6):418-429.
	C25*	Du, et al. (1994). A bone marrow stromal-derived growth factor, interleukin-11, stimulates recovery of small intestinal mucosal cells after cytoablative therapy. <i>Blood</i> 83(1):33-37.
	C26*	Du, et al. (1994). Interleukin-11: a multifunctional growth factor derived from the hematopoietic microenvironment. <i>Blood</i> . 83(8): 2023-30.
	C27*	Du, et al. (1997). Protective effects of interleukin-11 in a murine model of ischemic bowel necrosis. <i>Am. J. Physiol.</i> 272(3 Pt 1): G545-52.
	C28*	Fann, et al. (1994). Neuropoietic cytokines and activin A differentially regulate the phenotype of cultured sympathetic neurons. <i>Proc. Natl. Acad. Sci. USA</i> . 91(1): 43-7.
	C29*	Fiore, et al. (1998). Comparison of interleukin-11 and epidermal growth factor on residual small intestine after massive small bowel resection. <i>J. Pediatr. Surg.</i> 33(1): 24-9.
	C30*	Girasole, et al. (1994). Interleukin-11: a new cytokine critical for osteoclast development. <i>J. Clin. Invest.</i> 93(4):1516-24.
	C31*	Hammer, et al. (1990). Spontaneous inflammatory disease in transgenic rats expressing HLA-B27 and human beta 2m: an animal model of HLA-B27-associated human disorders. <i>Cell</i> . 63(5): 1099-112.
	C32*	Hemmann, et al. (1996). Differential activation of acute phase response factor/Stat3 and Stat1 via the cytoplasmic domain of the interleukin 6 signal transducer gp130. <i>J. Biol. Chem.</i> 271(22): 12999-3007.
	C33*	Hibi, et al. (1990). Molecular cloning and expression of an IL-6 signal transducer, gp130. <i>Cell</i> 63(6): 1149-57.
	C34*	Hill, et al. (1998). Interleukin-11 promotes T cell polarization and prevents acute graft-versus-host disease after allogeneic bone marrow transplantation. <i>J. Clin. Invest.</i> 102(1): 115-23.
	C35*	Ikebuchi, et al. (1988). Synergistic factors for stem cell proliferation: further studies of the target stem cells and the mechanism of stimulation by interleukin-1, interleukin-6, and granulocyte colony-stimulating factor. <i>Blood</i> 72(6): 2007-14.
	C36*	Inatomi, et al. (1989). An erythromycin derivative, EM-523, induces motilin-like gastrointestinal motility in dogs. <i>J. Pharmacol. Exp. Ther.</i> 251(2):707-712.
	C37*	Jacobs, et al. (1970). Characteristics of a human diploid cell designated MRC-5. <i>Nature</i> 227(254): 168-70.

* Not in file



OTHER NON PATENT LITERATURE DOCUMENTS


Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
	C38*	Jadcherla, et al. (1997). Regulation of migrating motor complexes by motilin and pancreatic polypeptide in human infants. <i>Pediatr. Res.</i> <u>42</u> (3): 365-9.
	C39*	Kawashima, et al. (1991). Molecular cloning of cDNA encoding adipogenesis inhibitory factor and identity with interleukin-11. <i>FEBS Lett.</i> <u>283</u> (2): 199-202.
	C40*	Keith, et al. (1994). "IL-11, a pleiotropic cytokine: exciting new effects of IL-11 on gastrointestinal mucosal biology." <i>Stem Cells.</i> <u>12</u> (Suppl 1):79-90.
	C41*	Keith, et al. (1994). <i>Gastroenterology</i> <u>106</u> (4 part 2): A708.
	C42*	Keith, et al. (1995). <i>Gastroenterology</i> <u>108</u> (4): A846.
	C43*	Leng and Elias (1997). Interleukin-11 inhibits macrophage interleukin-12 production. <i>J. Immunol.</i> <u>159</u> (5): 2161-8.
	C44*	Leonard, et al. (1995). Prevention of experimental autoimmune encephalomyelitis by antibodies against interleukin 12. <i>J. Exp. Med.</i> <u>181</u> (1): 381-6.
	C45*	Liu, et al. (1996). Trophic effects of interleukin-11 in rats with experimental short bowel syndrome. <i>J. Pediatr. Surg.</i> <u>31</u> (8): 1047-51.
	C46*	Luiking, et al. (1998). Motilin induces gall bladder emptying and antral contractions in the fasted state in humans. <i>Gut</i> <u>42</u> (6): 830-5.
	C47*	Lutticken, et al. (1994). Association of transcription factor APRF and protein kinase Jak1 with the interleukin-6 signal transducer gp130. <i>Science</i> <u>263</u> (5143): 89-92.
	C48*	Miyatake, et al. (1998). Complement-fixing elicited antibodies are a major component in the pathogenesis of xenograft rejection. <i>J. Immunol.</i> <u>160</u> (8): 4114-23
	C49*	Musashi, et al. (1991). Synergistic interactions between interleukin-11 and interleukin-4 in support of proliferation of primitive hematopoietic progenitors of mice. <i>Blood.</i> <u>78</u> (6): 1448-51.
	C50*	Nandurkar, et al. (1996). The human IL-11 receptor requires gp130 for signaling: demonstration by molecular cloning of the receptor. <i>Oncogene.</i> <u>12</u> (3):585-93.
	C51*	Ng, et al. (2000). Erythromycin for feeding intolerance in preterm infants. <i>Cochrane Database Syst. Rev.</i> , (2):CD001815.
	C52*	Omura, et al. (1987). Macrolides with gastrointestinal motor stimulating activity. <i>J Med Chem.</i> <u>30</u> (11): 1941-3.
	C53*	Omura, et al. (1985). Gastrointestinal motor-stimulating activity of macrolide antibiotics and the structure-activity relationship. <i>J. Antibiot. (Tokyo)</i> <u>38</u> (11):1631-2.
	C54*	Opal, et al. (1995). <i>Blood</i> <u>86</u> (10): 498A.
	C55*	Opal, et al. (1998). Recombinant human interleukin-11 in experimental <i>Pseudomonas aeruginosa</i> sepsis in immunocompromised animals. <i>J. Infect. Dis.</i> <u>178</u> (4):1205-8.
	C56*	Opal, et al. (1999). <i>Blood</i> <u>93</u> (10): 3467-72.
	C57*	Orazi, et al. (1996). Effects of recombinant human interleukin-11 (Neumega rhIL-11 growth factor) on megakaryocytopoiesis in human bone marrow. <i>Exp. Hematol.</i> <u>24</u> (11): 1289-97.
	C58*	Orazi, et al. (1996). Interleukin-11 prevents apoptosis and accelerates recovery of small intestinal mucosa in mice treated with combined chemotherapy and radiation. <i>Lab. Invest.</i> <u>75</u> (1): 33-42.
	C59*	Ordaz-Jimenez, et al. (1998). [Gastrointestinal hormones during minimal enteral feeding of sick premature infants] <i>Rev. Invest. Clin.</i> <u>50</u> (1): 37-42. (Spanish w/ English abstract).
	C60*	Paul, et al. (1990). Molecular cloning of a cDNA encoding interleukin 11, a stromal cell-derived lymphopoietic and hematopoietic cytokine. <i>Proc. Natl. Acad. Sci. USA.</i> <u>87</u> (19):7512-6.
	C61*	Pennathur, et al. (1994). Erythromycin strengthens the defective lower esophageal sphincter in patients with gastroesophageal reflux disease. <i>Am. J. Surg.</i> <u>167</u> (1):169-173.
	C62	Peterson, et al. (1998). Molecular effects of recombinant human interleukin-11 in the HLA-B27 rat model of inflammatory Bowel disease. <i>Laboratory Investigation</i> , <u>78</u> (12):1503-1512.
	C63*	Qiu, et al. (1996). Protection by recombinant human interleukin-11 against experimental TNB-induced colitis in

* ab in file

OTHER NON PATENT LITERATURE DOCUMENTS

Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
		rats. <i>Dig. Dis. Sci.</i> 41(8): 1625-30.
	C64*	Redlich, et al. (1996). IL-11 enhances survival and decreases TNF production after radiation-induced thoracic injury. <i>J. Immunol.</i> 157(4): 1705-10.
	C65*	Schindel, et al. (1997). Interleukin-11 improves survival and reduces bacterial translocation and bone marrow suppression in burned mice. <i>J. Pediatr. Surg.</i> 32(2): 312-5.
	C66*	Scofield, et al. (1993). A hypothesis for the HLA-B27 immune dysregulation in spondyloarthritis: contributions from enteric organisms, B27 structure, peptides bound by B27, and convergent evolution. <i>Proc. Natl. Acad. Sci. USA.</i> 90(20): 9330-4.
	C67*	Siadati, et al. (1998). Role of extrinsic innervation in release of motilin and patterns of upper gut canine motility. <i>J. Gastrointest. Sur.</i> 2(4): 363-72.
	C68*	Smith, et al. (2000). Prokinetic Effect of Erythromycin after colorectal surgery. <i>Dis. Colon. Rectum.</i> 43(3):333-337.
	C69*	Sonis, et al. (1995). Alteration in the frequency, severity and duration of chemotherapy-induced mucositis in hamsters by interleukin-11. <i>Eur. J. Cancer B. Oral Oncol.</i> 31B(4): 261-6.
	C70*	Sonis, et al. (1995). <i>Proc. Am. Assoc. Cancer Res.</i> 36: 368.
	C71	Supplementary European Search Report for EP 00 92 3159, mailing date: February 19, 2004.
	C72*	Taga and Kishimoto (1997). Gp130 and the interleukin-6 family of cytokines. <i>Annu. Rev. Immunol.</i> 15:797-819.
	C73*	Tomita, et al. (1997). The role of motilin and cisapride in the enteric nervous system of the lower esophageal sphincter in humans. <i>Surg. Today.</i> 27(11): 985-92.
	C74*	Toyota (1998). <i>J. Smooth Musc. Res.</i> 34: 13-22.
	C75*	Trepicchio, et al. (1996). Recombinant human IL-11 attenuates the inflammatory response through down-regulation of proinflammatory cytokine release and nitric oxide production. <i>J. Immunol.</i> 157(8): 3627-34.
	C76*	Trepicchio, et al. (1997). IL-11 regulates macrophage effector function through the inhibition of nuclear factor-kappaB. <i>J. Immunol.</i> 159(11): 5661-70.
	C77*	Van Assche, et al. (1997). Concentration-dependent stimulation of cholinergic motor nerves or smooth muscle by [Nle13]motilin in the isolated rabbit gastric antrum. <i>Eur. J. Pharmacol.</i> 337(2-3): 267-74.
	C78*	Wang, et al. (1995). Interleukin-11 induces complex formation of Grb2, Fyn, and JAK2 in 3T3L1 cells. <i>J. Biol. Chem.</i> 270(47): 27999-8002.
	C79*	Waxman, et al. (1998). Targeted lung expression of interleukin-11 enhances murine tolerance of 100% oxygen and diminishes hyperoxia-induced DNA fragmentation. <i>J Clin Invest.</i> 101(9):1970-82.
	C80*	Weich, et al (1997). Recombinant human interleukin-11 directly promotes megakaryocytopoiesis in vitro. <i>Blood.</i> 90(10): 3893-902.
	C81*	Wong and Clark (1988). Multiple actions of interleukin 6 within a cytokine network. <i>Immunol. Today.</i> (5): 137-9.
	C82*	Yang and Yin. (1995). Interleukin (IL)-11--mediated signal transduction. <i>Ann. NY Acad. Sci.</i> 762: 31-41.
	C83*	Yin and Yang (1994). Mitogen-activated protein kinases and ribosomal S6 protein kinases are involved in signaling pathways shared by interleukin-11, interleukin-6, leukemia inhibitory factor, and oncostatin M in mouse 3T3-L1 cells. <i>J. Biol.Chem.</i> 269(5): 3731-8.
	C84*	Yin, et al. (1993). Involvement of IL-6 signal transducer gp130 in IL-11-mediated signal transduction. <i>J. Immunol.</i> 151(5): 2555-61.
	C85*	Yin, et al. (1994). Identification of a 130-kilodalton tyrosine-phosphorylated protein induced by interleukin-11 as JAK2 tyrosine kinase, which associates with gp130 signal transducer. <i>Exp. Hematol.</i> 22(5): 467-72.
	C86*	Yin, et al. (1992). Enhancement of in vitro and in vivo antigen-specific antibody responses by interleukin 11. <i>J. Exp. Med.</i> 175(1): 211-6.
	C87*	Yokoyama, et al. (1995). Recovery of gastrointestinal motility from post-operative ileus in dogs: effects of

* Not in file



OTHER NON-PATENT LITERATURE DOCUMENTS

Exam Initials	Cite No.	Name of Author, Title (when appropriate), Publication, Volume, Page(s), Date, Etc.
		Leu13-motilin (KW-5139) and prostaglandin F2 alpha. <i>Neurogastroenterol. Motil.</i> 7(4): 199-210.
*	C88*	Zhang, et al. (1994). Ciliary neurotropic factor, interleukin 11, leukemia inhibitory factor, and oncostatin M are growth factors for human myeloma cell lines using the interleukin 6 signal transducer gp130. <i>J. Exp. Med.</i> 179(4):1337-42.
*	C89*	Zhang, et al. (1995). Requirement of serine phosphorylation for formation of STAT-promoter complexes. <i>Science</i> 267(5206): 1990-4.
*	C90*	Zhong, et al. (1994). Stat3: a STAT family member activated by tyrosine phosphorylation in response to epidermal growth factor and interleukin-6. <i>Science</i> . 264(5155): 95-98.
*	C91*	Latkina, et al. (1994) The current pathogenetic aspects of diarrhea in ulcerative colitis. (Abstract only). <i>Terapevticheskii Arkhiv</i> . 66(12):67-70.

* a copy of this reference is not provided as it was previously cited by or submitted to the office in a prior application, U.S.S.N. 09/920,532, filed August 1, 2001, and relied upon for an earlier filing date under 35 U.S.C. §120 (continuation, continuation-in-part, and divisional applications).

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered.

Include copy of this form with next communication to applicant.

* Not in file